INDEX TO VOLUME 84 (2000)

AUTHORS[1]

J. Agric. Univ. P.R. 84(3-4):201-204 (2000)

Acosta, A.
2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.

Acosta-Villegas, N.
2000, Liberación del cultivar Cortada de gandul para uso comercial, 84(3-4), 189. (C&GR)
2000, Liberación del cultivar Guerrero de gandul para uso comercial, 84(3-4), 193. (C&GR)

Alameda-Lozada, M.
2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.

Antoni, M.
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Añeses, L.
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Bastidas-López, H.
2000, Efecto de *Wedelia trilobata* L. (Asterales: Asteraceae) sobre la mosca blanca *Bemisia tabaci* G. (Homoptera: Aleyrodidae), 84(3-4), 181. (RN)

Bautista-Pérez, M. de J.
*2000, Methodology for screening common bean resistance to web blight, 84(1-2), 91. (RN)
*2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)

Beaver, J. S.
/2000, Effect of harvest date and seed type on green-shell and dry bean yield, 84(1-2), 29.

Bosques-Vega, A.
*2000, Liberación del cultivar Cortada de gandul para uso comercial, 84(3-4), 189. (C&GR)
*2000, Liberación del cultivar Guerrero de gandul para uso comercial, 84(3-4), 193. (C&GR)
*2000, Liberación del cultivar Estela de yautía para uso comercial, 84(3-4), 197. (C&GR)

Cabrera-Asencio, I.
*2000, Efecto de *Wedelia trilobata* L. (Asterales: Asteraceae) sobre la mosca blanca *Bemisia tabaci* G. (Homoptera: Aleyrodidae), 84(3-4), 181. (RN)

* Senior author.
/ Sole author.
RN Research Note.
N Notes.
C&GR Cultivar and Germplasm Release.

[1]An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu- Abadía, A.). Articles under one name are organized chronologically; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

Canals, M.
2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)

Cantisani, L.
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Casas, A.
*2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Chardón, U.
2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.

Cianzio, D.
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Cuevas-Pérez, F.
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.

Echávez-Badel, R.
*2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.
2000, Methodology for screening common bean resistance to web blight, 84(1-2), 91. (RN)
2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)

Goenaga, R.
2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.
2000, Clonal selection in cacao based on early yield performance of grafted trees, 84(3-4), 153.

González-Vélez, A.
2000, Mandarina Dancy en cinco patrones: Crecimiento y producción en los primeros cuatro años, 84(1-2), 101. (RN)
2000, Liberación del cultivar Estela de yautía para uso comercial, 84(3-4), 197. (C&GR)

Gómez-Galué, J. E.
2000, Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris* in Puerto Rico, 84(1-2), 79.

Irizarry, H.
*2000, Effectiveness of magnesium source and rate in the fertilization of banana grown on an Ultisol in Puerto Rico, 84(1-2), 35.
*2000, Clonal selection in cacao based on early yield performance of grafted trees, 84(3-4), 153.

Lugo-López, M. A.
*2000, K values of soils of U.S. Virgin Islands, 84(3-4), 185. (N)

Macchiavelli, R. E.
*2000, Methods for efficient estimation of rust incidence in coffee plantations, 84(1-2), 65.
2000, Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95. (RN)

Martínez, C. P.
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.

Moyá, J.
2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.
2000, Chloride uptake by tropical forage grasses in two soils of Puerto Rico, 84(3-4), 133.

Orengo-Santiago, E.
2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.

Ortiz, C. E.
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.
*2000, Dry weight accumulation in arracacha plant parts, 84(1-2), 87. (RN)
*2000, Influence of sett fresh weight and depth of planting on performance of arracacha, 84(3-4), 143.

Pantoja, A.
2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.

Pardey C.
*2000, Herencia de la resistencia al daño mecánico por *Tagosodes orizicolus* (Muir) (Homoptera: Delphacidae) en arroz, 84(1-2), 47.

Ramos-Santana, R.
2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.

Randel, P. F.
/2000, Live weight and body condition changes in dry cows at pasture and effects on subsequent performance, 84(3-4), 165.

Rivera, A.
2000, The effect of stocking rate, fertilizer level and winter supplementation on the grazing performance of Senepol purebred and crossbred bulls, 84(1-2), 1.

Rivera, L. I.
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.

Rodríguez, A.
2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.

Rodríguez, R. del P.
2000, Methods for efficient estimation of rust incidence in coffee plantations, 84(1-2), 65.

Román-Pérez, F. M.
*2000, Mandarina Dancy en cinco patrones: Crecimiento y producción en los primeros cuatro años, 84(1-2), 101. (RN)

Rosa-Márquez, E.
*2000, Hongos patógenos del cormo de apio (*Arracacia xanthorrhiza*) en Puerto Rico, 84(1-2), 53.

Ruiz, T. M.
*2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.
*2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
*2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.

Snelling, R. R.
2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)

Sotomayor-Ramírez, D.
*2000, Chloride uptake by tropical forage grasses in two soils of Puerto Rico, 84(3-4), 133.
2000, K values of soils of U.S. Virgin Islands, 84(3-4), 185. (N)

Sotomayor-Ríos, A.
2000, Establishment of rhizoma perennial peanut (*Arachis glabrata*) under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
2000, Dry matter yield of rhizoma perennial peanut (*Arachis glabrata*) harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.

Torres, J. A.
*2000, New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99. (RN)
Vélez-Colón, R.
2000, Liberación del cultivar Cortada de gandul para usa comercial, 84(3-4), 189. (C&GR)
2000, Liberación del cultivar Guerrero de gandul para usa comercial, 84(3-4), 193. (C&GR)
Viera, L.
2000, Milk production and dry matter intake of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.

INDEX TO VOLUME 84 (2000)

SUBJECTS

J. Agric. Univ. P.R. 84(3-4):205-207 (2000)

Aculeate Hymenoptera
New records of parasitoids of, in Puerto Rico, 84(1-2), 99.
Anastomosis
Characterization of *Rhizoctonia* spp. isolates collected from *Phaseolus vulgaris*, 84(1-2), 79.
Arracacha
Dry weight accumulation in plant parts of, 84(1-2), 87.
Fungi pathogenic to the corm of, 84(1-2), 53. (Spanish)
Influence of sett fresh weight and depth of planting on performance of, 84(3-4), 143.
Arracacia xanthorrhiza (See Arracacha)
Arachis glabrata (See Rhizoma perennial peanut)
Banana
Effectiveness of magnesium source and rate in the fertilization of, grown on an Ultisol, 84(1-2), 35.
Bean
Characterization of *Rhizoctonia* spp. isolates collected from, 84(1-2), 79.
Effect of harvest date and seed type on yield of, 84(1-2), 29.
Methodology for screening common bean resistance to web blight, 84(1-2), 91.
Bemisia tabaci (See Sweet potato whitefly)
Breeding
Release of pigeon pea cultivar Cortada for commercial use, 84(3-4), 189. (Spanish)
Release of pigeon pea cultivar Guerrero for commercial use, 84(3-4), 193. (Spanish)
Release of tanier cultivar Estela for commercial use, 84(3-4), 197. (Spanish)
Rice inheritance of resistance to mechanical damage caused by sogata, 84(1-2), 47. (Spanish)
Bulls, Senepol
Stocking rate, fertilizer level and winter supplementation, effect on the grazing performance of, 84(1-2), 1.
Cacao
Clonal selection of, based on early yield performance of grafted trees, 84(3-4), 153.
Cajanus cajan (See Pigeon pea)
Citrus
Growth and production of Dancy tangerine, the first four years, when grown in five rootstocks, 84(1-2), 101. (Spanish)
Clone, selection
In cacao, based on early yield performance of grafted trees, 84(3-4), 153.
Chloride, uptake
By tropical forage grasses in two soils of Puerto Rico, 84(3-4), 133.
Coelopencyrtus gagaris
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Coffea arabica (See Coffee)
Coffee
Methods for efficient estimation of rust incidence in plantations of, 84(1-2), 65.
Coffee rust
Methods for efficient estimation of the incidence of, in coffee plantations, 84(1-2), 65.
Cows, dry
Live weight and body condition changes in, at pasture, 84(3-4), 165.
Cows, lactating
Milk production and dry matter intake of, when fed low fiber diets, 84(1-2), 17.
Elasmus polistis
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.

Feed, supplementation
Effect on the grazing performance of Senepol bulls, 84(1-2), 1.
Fertilization
Effectiveness of magnesium source and rate in the, of banana grown on an Ultisol, 84(1-2), 35.
Fertilizer, level
Effect on the grazing performance of Senepol bulls, 84(1-2), 1.
Forage
Chloride uptake by tropical grasses in two soils of Puerto Rico, 84(3-4), 133.
Dry matter yield of rhizoma perennial peanut when harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.
Establishment of rhizoma perennial peanut under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.
Fungi
Pathogenic to the corm of arracacha, 84(1-2), 53. (Spanish)
Fusarium spp.
Fungi pathogenic to the corm of arracacha, 84(1-2), 53. (Spanish)
Grazing
Live weight and body condition changes in dry cows at pasture, 84(3-4), 165.
Stocking rate, fertilizer level and winter supplementation, effect on, of Senepol bulls, 84(1-2), 1.
Halictoxenos sp.
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Hemileia vastatrix (See Coffee rust)
Insects
Effect of *Wedelia trilobata* on the white fly, 84(3-4), 181. (Spanish)
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Rice inheritance of resistance to mechanical damage caused by sogata, 84(1-2), 47. (Spanish)
Kapala terminalis
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Magnesium
Effectiveness of source and rate of, in the fertilization of banana grown on an Ultisol, 84(1-2), 35.
Milk, production
Live weight and body condition changes in dry cows at pasture and effects on subsequent performance, 84(3-4), 165.
Of lactating Holstein cows fed low fiber diets in the tropics, 84(1-2), 17.
Musa spp. (See Banana)
Orasema minutissima
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Oryza sativa (See Rice)
Pachysomoides fulvus
New records of parasitoids of Aculeate Hymenoptera in Puerto Rico, 84(1-2), 99.
Phaseolus vulgaris (See Bean)
Phytophthora palmivora
Fungi pathogenic to the corm of arracacha, 84(1-2), 53. (Spanish)
Pigeon Pea
Release of cultivar Cortada for commercial use, 84(3-4), 189. (Spanish)
Release of cultivar Guerrero for commercial use, 84(3-4), 193. (Spanish)
Planting depth
Influence of sett fresh weight and, on performance of arracacha, 84(3-4), 143.
Rhizoctonia spp.
Characterization of isolates collected from *Phaseolus vulgaris*, 84(1-2), 79.
Fungi pathogenic to the corm of arracacha, 84(1-2), 53. (Spanish)
Methodology for screening common bean resistance to web blight, 84(1-2), 91.
Virulence of *Rhizoctonia solani* isolates associated with web blight of common bean, 84(1-2), 95.
Rhizoma perennial peanut
Dry matter yield of, when harvested at six, nine and 12 weeks at two semiarid sites, 84(3-4), 115.
Establishment of, under irrigation at two semiarid sites in the Caribbean, 84(3-4), 105.

Rice
Inheritance of resistance to mechanical damage caused by sogata, 84(1-2), 47. (Spanish)
Rootstock, citrus
Growth and production of Dancy tangerine, the first four years, when grown in five rootstocks, 84(1-2), 101. (Spanish)
Rust, coffee (See Coffee rust)
Sampling, systematic
Methods for efficient estimation of rust incidence in coffee plantations, 84(1-2), 65.
Sett size
Influence of depth of planting and, on performance of arracacha, 84(3-4), 143.
Seed type, bean
Effect on yield, 84(1-2), 29.
Soil
Chloride uptake by tropical grasses in two soils of Puerto Rico, 84(3-4), 133.
K values of, U.S. Virgin Islands, 84(3-4), 185.
Sogata
Rice inheritance of resistance to mechanical damage caused by, 84(1-2), 47. (Spanish)
Stocking rate
Effect on the grazing performance of Senepol bulls, 84(1-2), 1.
Sweet potato whitefly
Effect of *Wedelia trilobata* on the mortality of, 84(3-4), 181. (Spanish)
Tagosodes orizicolus (See Sogata)
Tanier
Release of cultivar Estela for commercial use, 84(3-4), 197. (Spanish)
Tangerine, Dancy
Growth and production, the first four years, when grown in five rootstocks, 84(1-2), 101. (Spanish)
Theobroma cacao (See Cacao)
Thanatephorus cucumeris
Characterization of *Rhizoctonia* spp. isolates collected from, 84(1-2), 79.
Methodology for screening common bean resistance to, 84(1-2), 91.
Ultisol
Effectiveness of magnesium source and rate in the fertilization of banana grown on, 84(1-2), 35.
Web blight, bean
Methodology for screening common bean resistance to, 84(1-2), 91.
Virulence of *Rhizoctonia solani* isolates associated with, of common bean, 84(1-2), 95.
Wedelia trilobata
Effect of, on the mortality of *Bemisia tabaci*, 84(3-4), 181. (Spanish)
Xanthosoma sagittifolium (See Tanier)